

Body Cameras

POLICE

DrivePro[™] Body 30

Transcend's DrivePro Body 30 is a feature-packed body camera designed specifically for public safety professionals. With a twelve-hour battery life, IP67 rated environmental sealing, military-grade shock resistance, and a pre-event buffer, the DrivePro Body 30 is always ready for action. The EXMOR™ image sensor, high-quality lens, automatic infrared illumination, and six-axis image stabilization guarantee clear, high-definition evidence collection. Paired with Transcend's DrivePro Body App for iOS and Android smartphones, users can easily control the DrivePro Body 30 and manage videos and photos on the device.



EXMOR[™] high-sensitivity image sensor

The DrivePro Body 30 features EXMOR[™] sensor to capture high-resolution images with superb, rich color even in low light. Images are highly detailed with low noise and excellent balance between light and dark areas.



Infrared LEDs for night vision

The DrivePro Body 30 has four infrared LEDs that will automatically turn on in dim light to enhance night vision capabilities. This can drastically increase recording quality in pitch-black darkness.



Image stabilization technology

To minimize blurriness while moving and using the camera, the DrivePro Body 30 features a six-axis MEMS sensor that reduces the effect of motion on the camera.





Body Cameras DrivePro[™] Body 30

Features

- · High sensitivity EXMOR™ image sensor
- Infrared LEDs for night vision
- · Six-axis image stabilization technology
- Built-in 12-hour battery for long recording time
- Compliant with IP67 and U.S. military standards to be dust-proof, waterproof, and shock resistant

Transcend

DrivePro Body Toolbox

Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the toolbox.

Specification

Specification	
Appearance	
Dimensions (Max.)	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")
Weight (Max.)	130 g (4.59 oz)
Interface	
USB Type	3.5mm plug to USB Type A
Connection Interface	USB 2.0
Storage	
Capacity	64GB internal memory
Hardware	
Viewing angle	130° (diagonal)
Aperture	F/2.0
Power	
Battery Life (Fully Charged)	12 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A
Format	
Resolution	Full HD 1080P
Frame Rate	30 fps
Video Format	MOV (H.264)
Operating Environme	nt
Operating Temperature	-20°C (-4°F) ~ 65°C (149°F)
Storage Temperature	-25°C (-13°F) ~ 70°C (158°F)
IP Rating	IP67

variality	
Certificate	CE/FCC/BSMI/NCC/MIC
Warranty	Two-year Limited Warranty

Ordering Information

64GB	TS64GDPB30A	
------	-------------	--



Body Cameras Comparison











DrivePro[™] Body 60 DrivePro[™] Body 30

DrivePro[™] Body 52

DrivePro[™] Body 20

DrivePro[™] Body 10

Appearance							
Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77"		
Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	-	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")	-	-		
Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)		
Camera Weight (Max.)		-	64 g (2.26 oz)	-	-		
Interface							
USB Type	3.5mm plug to USB Type A	micro USB to USB Type A					
Connection Interface			USB 2.0				
Storage							
Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB		
Hardware							
Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)		
Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8		
Image Sensor	EXMOR™	EXMOR™	EXMOR™	Aptina	STARVIS™		
Infrared LEDs	-	\checkmark	-	-	\checkmark		
Wi-Fi	\checkmark	\checkmark	\checkmark	\checkmark	-		
Bluetooth	\checkmark	\checkmark	-	-	-		
Microphone	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Vibration Alert	\checkmark	\checkmark	-	-	-		
Buffering Mode	\checkmark	\checkmark	-	-	-		
Event Recording	-	-	\checkmark	\checkmark	\checkmark		
Loop Recording	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		
Power							
Battery Life (Fully Charged)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)		
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A						
Format							
Resolution	Full HD 1080P						
Frame Rate	30 fps 30/60 fps						
Video Format	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)		
Operating Environment							
IP Rating	IP67	IP67	IPX4	IPX4	IPX4		
Warranty							
Warranty		Two-year Limited Warranty					
	Note: EXMOR/STARVIS is a trademark of Sony Corporation.						

Note: EXMOR/STARVIS is a trademark of Sony Corporation.